## Outpatient Clinic for Behavioral Addiction in Linz

Who are we and what do we do?

Mag. Sylvia Hintersteiner, MA Linz, 27.02.2025

# Team OA Dr. Christoph Saalberg-Bilous (Psychotherapia) Mag. a Sylvia Hintersteiner (Psychotherapia) Farlheinz Slaudinger, MSc. Dr.in Isabella Fuchs-Leitner (Research associatio) Prim. Dr. Kurosch Yazdi (Psychotherapia) Prim. Dr. Kurosch Yazdi (Psychotherapia)

#### **Addictions**



#### **Substance-Related Addictions**


- alcohol & tranquilizer addiction
- · illegal drug addiction
- · prescription drug abuse
- painkillers
- · other substances



#### Non-Substance-Related (Behavioral) Addictions

- · gambling disorder
- · internet gaming disorder
- · compulsive buying disorder
- other behavioral addictions (e.g., Social Media, Pornography Addiction)

ww.spielsuchtambulanz.at



#### General case numbers

#### According to 2023

- · Our clinic operates in a donation-based model
- Income: 124.600€ (CA und Lotterien, Admiral, EE, PA AG)
- Expenses: 143.258,11€
- Total of 1194 patient contacts
- Averaging approximately 99 contacts per month
- 92 telephone consultations documented (averaging 8 per month)

www.snielsuchtambular

## Changes in Patient Numbers Entwicklung der Patient\*innen Kontakte im Jahresprofil 2000 1500 0 1500

#### Aims of outpatient treatment

- · Early detection of pathological gambling and online addiction behavior
- Improving the quality of life for those affected and their family members
- · Achieving and stabilizing abstinence
- The individual is **not removed from their family environment** through outpatient treatment and can **continue working in their profession**



#### Our offer

- Consultation regarding the diagnosis and treatment options for behavioral addictions
- Focus on addictive behaviors exceed normal levels despite negative consequences
- · Outpatient psychiatric and psychotherapeutic treatments
- Examination of possible accompanying mental illnesses
- o (e.g. burnout, depression, other addictive disorders, ...)
- Regular team meetings and supervision sessions for high-quality treatment
- Ongoing research on gambling addiction, internet addiction, and COVID-19's impact on compulsive shopping addiction
- Research associate to strengthen scientific contributions since 2020

www.spielsuchtambulanz.a

#### Our offer

#### **Specific Therapy Services**

- · Initial consultations: Diagnostics, goal definition, treatment plan
- Therapy group for gamblers: 9 weekly sessions, 1.5 hours each
- Therapy group for internet addicts: 10 weekly sessions, 1.5 hours each
- . Therapy group for family members of internet addicts: open group, bi-weekly
- Therapy group for **shopping addicts**: 8 weekly sessions, 1.5 hours each
- . Aftercare: individualized as needed in one-on-one sessions

#### Other Activities

- · Accompanying evaluation and research (clinical research and basic research)
- · Trainings, lectures, publications, conferences, etc.

v snielsuchtambulanz a

#### Diagnostic criteria according to DSM-5

#### Gambling Disorder

- 1. Needs to gamble with increasing amounts of money in order to achieve the desired excitement.
- 2.Is restless or irritable when attempting to cut down or stop gambling
- 3. Has made repeated unsuccessful efforts to control, cut back, or stop gambling.
- 4.1s often preoccupied with gambling (e.g., having persistent thoughts ofreliving past gambling experiences, handicapping or planning the next venture, thinking of ways to get money with which to gamble).
- 5.Often gambles when feeling distressed (e.g., helpless, guilty, anxious, depressed).
- 6. After losing money gambling, often returns another day to get even ("chasing" one's losses).
- 7.Lies to conceal the extent of involvement with gambling.
- 8. Has jeopardized or lost a significant relationship, job, or educational or career opportunity because of gambling.
- 9. Relies on others to provide money to relieve desperate financial situations caused by gambling.

www.snielsuchtambulanza

#### **Severity as a Continuum?**

Degree of dependence based on the number of symptoms:

- 4 5 symptoms: mild disorder
- 6 7 symptoms: moderate disorder
- 8 9 or more symptoms: severe disorder



www.spielsuchtambulanz.at

#### Diagnostic criteria according to DSM-5

#### **Internet Gaming Disorder**

- 1.Preoccupation with Internet games. (The individual thinks about previous gaming activity or anticipates playing the next game; Internet gaming becomes the dominant activity in daily life.)
- a. Note: This disorder is distinct from Internet gambling, which is included under gambling disorder.
- 2. Withdrawal symptoms when Internet gaming is taken away. (These symptoms are typically described as irritability, anxiety, or sadness, but there are no physical signs of pharmacological withdrawal.)
- 3. Tolerance—the need to spend increasing amounts of time engaged in Internet games.
- 4. Unsuccessful attempts to control the participation in Internet games.
- 5.Loss of interests in previous hobbies and entertainment as a result of, and with the exception of, Internet games
- 6. Continued excessive use of Internet games despite knowledge of psychosocial problem.
- 7. Has deceived family members, therapists, or others regarding the amount of Internet gaming.
- 8. Use of Internet games to escape or relieve a negative mood (e.g., feelings of helplessness, guilt, anxiety).
- 9. Has jeopardized or lost a significant relationship, job, or educational or career opportunity because of participation in Internet games.

www.spielsuchtambulanz.at

#### What is new regarding addiction in the ICD-11?

#### Disorders due to addictive behaviours:

6C50 Gambling disorder

a. predominantly online

b. predominantly offline

6C51 Gaming disorder

a. predominantly online

b. predominantly offline

6V5Y Other specified disorders due to addictive behaviours

- · Previously suggested:
- o Shopping addiction, pornography addiction, and social media addiction
- o (Brand M. et al.; Journal of Behavioral Addictions; 2020)

ese enjaleurhtambulana

#### **Behavioral Addictions in ICD-11?**

Diagnostic criteria: The same for all behavioral addictions, with a time criterion of generally 12 months (but it can be shorter if all criteria are met and symptoms are severe).

#### 6C50 Gambling disorder

- 1. impaired control over gambling
- 2. increasing priority given to gaming
- 3. continuation or escalation of gaming despite negative consequences

#### 6C51 Gaming disorder

- 1. impaired control over gaming
- 2. increasing priority given to gaming
- 3. continuation or escalation of gaming despite negative consequences

www.spielsuchtambulanz

#### **Research on Behavioral Addictions**

Key insights from 2023

#### Research Focus & Support:

- · Behavioral addiction research alongside patient care
- · External funding & voluntary staff contributions
- Scientific associate since mid-2020 (study design, data collection, publication)

#### Key Research Projects:

- · Neuroimaging Study on Gambling Addiction:
- o fMRI study on brain activity in gambling addicts vs. healthy participants
- · Collaboration with Kepler University Hospital
- o Data collected, thesis in progress, publications upcoming

#### **Research on Behavioral Addictions**

Key insights from 2023

#### Prevalence of Gambling Addiction in Austria:

- Focus on online gambling & COVID-19 impact
- Data collected, master's thesis completed, article in prep

#### Impact of COVID-19 on Shopping Addiction:

- · Study on pandemic effects on depression, anxiety, stress
- Offline vs. online shopping addiction shift
- · Data complete, thesis in progress

#### Online Gaming Disorder (IGD):

- · Investigating IGD, quality of life, & loneliness
- · Data collection ongoing (2 master's theses)

www.spielsuchtambulanz.at

## Thank you for your attention!

Mag. Sylvia Hintersteiner, MA Linz, 27.02.2025

## Addictive Potential Of Online-Gambling. A Prevalence Study From Austria

Kurosch Yazdi & Christian Katzian

#### Conclusion & Implications:

- Online gambling attracts a younger demographic & has a stronger link to problematic gambling
- · Need for stronger regulation & player protection:
- · Age restrictions, alert systems, self-exclusion options
- Public awareness campaigns targeting youth & young adults

Yazdi, K., & Katzian, C. (2017). Addictive potential of online-gambling. A prevalence study from Austria. Psychiatria Danubina, 29(3), 367-378.

www.spielsuchtambulanz.a

### Addictive Potential Of Online-Gambling. A Prevalence Study From Austria

#### Kurosch Yazdi & Christian Katzia

#### Higher Addiction Risk in Online Gambling:

o Greater availability, anonymity, cashless transactions, and weaker regulations

#### Study Objective:

- Assess prevalence & sociodemographic differences between online and offline gamblers
- Measured problematic gambling behavior using Johnson's Lie-and-Bet Questionnaire

#### Key Findings:

- · Demographic Differences:
- o Online gamblers were younger, more often male, better educated, and more active online

#### Problematic Gambling Behavior:

- o 31% of online gamblers showed problematic behavior vs. 18% of offline gamblers
- o Problematic online gamblers were even younger, more often single, and predominantly male

#### Other Factors:

· No significant differences in migration background, income, or occupation

www.spielsuchtambulanz